

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1. (currently amended) In an ellipsoidal stage lamp for projecting light along an optical axis onto a stage, the ellipsoidal stage lamp having:
 - a base with a lamp having a filament;
 - an ellipsoidal reflector mounted to the base with the filament of the lamp at the focus of the ellipsoidal reflector;
 - a shutter section for containing shutters to impart borders to a projected beam from the stage lamp;
 - a barrel mounted to the shutter section; and,
 - a lens tube having projecting lenses for slidable mounting within the barrel for projecting and focusing a projected beam from the ellipsoidal stage lamp;
 - an improvement including a replacement for the shutter section comprising:
 - a cabinet for disposition within the ellipsoidal stage lamp to replace the shutter section;
 - the cabinet defining a first opening disposed along and around the optical axis of the ellipsoidal stage lamp and open to the base and lamp having a filament;
 - the cabinet having at least one open side for permitting the sliding insertion of a at least one drawer;
 - the at least one drawer having a second opening disposed along and around the optical axis of the ellipsoidal stage lamp and open to the base and lamp when inserted to the cabinet; and,
 - a movable projector plane mounted to the drawer across the second opening for insertion to the cabinet at the at least one open side, whereby the movable projector plane mounted to the drawer can be projected by the ellipsoidal stage lamp from the second opening in the drawer.

2. (currently amended) The improvement to an ellipsoidal stage lamp in accordance with claim 1 and wherein:

the drawer having mounted thereto a the movable projector plane includes an endless projector plane for rotation on opposite sides of the second opening of the drawer;

parallel rotating members on either side of the first opening ~~openings~~ of the cabinet for moving the endless projector plane across the second opening of the drawer; and,

patterns on the endless projector plane for projecting light passing through the patterns from the ellipsoidal stage lamp.

3. (previously presented) The improvement to an ellipsoidal stage lamp in accordance with claim 1 and wherein:

a ventilation aperture in the side walls of the cabinet permits cooling of the movable projecting plane.

4. (currently amended) The improvement to an ellipsoidal stage lamp in accordance with claim 1 and wherein:

the cabinet includes a bayonet ~~opening~~ fitting for insertion to the base of the ellipsoidal stage lamp.

5. (previously presented) The improvement to an ellipsoidal stage lamp in accordance with claim 1 and wherein:

the cabinet includes a locking attachment to the barrel of the ellipsoidal stage lamp.

6. (previously presented) The improvement to an ellipsoidal stage lamp in accordance with claim 1 and wherein:

the movable projector plane includes a plurality of slides; and,

means for the intermittent movement of at least one of the slides to the second opening for projecting an image on the slide from the ellipsoidal stage lamp.

7. (currently amended) A process of projecting special effects from an ellipsoidal stage lamp along ~~the~~ an optical axis of the ellipsoidal stage lamp onto a stage comprising the steps of:

providing an ellipsoidal stage lamp having:

a base with a lamp having a filament;

an ellipsoidal reflector mounted to the base with the filament of the lamp at the focus of the ellipsoidal reflector;

a shutter section for containing shutters to impart borders to a projected beam from the stage lamp;

a barrel mounted to the shutter section; and,

a lens tube having projecting lenses for slidable mounting within the barrel for projecting and focusing a projected beam from the ellipsoidal stage lamp;

providing a cabinet for disposition within the ellipsoidal stage lamp to replace the shutter section, the cabinet defining a first opening disposed along and around the optical axis of the ellipsoidal stage lamp and open to the base and lamp having a filament, and the cabinet having at least one open side for permitting the sliding insertion of a drawer;

removing the shutter section from the ellipsoidal stage lamp;

attaching the cabinet between the base and barrel with the first opening disposed along and around the optical axis of the ellipsoidal stage lamp;

providing a the drawer having a second opening ~~registrable~~ registered along and around the optical axis of the ellipsoidal stage lamp and open to the base and lamp when inserted in the cabinet;

inserting the drawer in the cabinet to register the second opening along and around the optical axis of the ellipsoidal stage lamp;

providing a movable projector plane having patterns mounted to the drawer across the second opening for insertion in the cabinet at the at least one open side;

moving the movable projector plane whereby the movable projector plane patterns can be projected by the ellipsoidal stage lamp from the second opening in the drawer.

8. (previously presented) The improvement to an ellipsoidal stage lamp in accordance with claim 6 and wherein:

the plurality of slides includes at least one GOBO.

9. (previously presented) The improvement to an ellipsoidal stage lamp in accordance with claim 1 and wherein:

the movable projector plane mounted to the drawer includes a wheel having apertures for registration through the second opening of the drawer.